


# Abrasive fibre disc

# CS 561



## Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Close

## Product benefit

For universal use - Largest selection of diameters, grit sizes and hole patterns|\*UNDEFINED TEXT\*|For universal use - Largest selection of diameters, grit sizes and hole patterns - Special large package reduces storage costs

## Application

Steel	●
NF metals	●
Metals	●
Plastic	○
Stainless steel	○
Wood	○

### Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter x Hole in mm	Hole pattern	grain	Vmax m/s	Max. RPM	type of coat.abras.	bore shape	Packing unit/pcs.	Cat. number
100 x 16	⊙ 10	16	80 m/s	15300 rpm	CS 561	round hole	25	65708
100 x 16	⊙ 10	24	80 m/s	15300 rpm	CS 561	round hole	25	65713
100 x 16	⊙ 10	36	80 m/s	15300 rpm	CS 561	round hole	25	65718
100 x 16	⊙ 10	60	80 m/s	15300 rpm	CS 561	round hole	25	65730
100 x 16	⊙ 10	80	80 m/s	15300 rpm	CS 561	round hole	25	65735
100 x 16	⊙ 10	120	80 m/s	15300 rpm	CS 561	round hole	25	65743

### Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany  
 Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186  
 sales@klingspor.de - www.klingspor.de



Diameter x Hole in mm	Hole pattern	grain	Vmax m/s	Max. RPM	type of coat.abras.	bore shape	Packing unit/pcs.	Cat. number
115 x 22	⊗ 30	24	80 m/s	13300 rpm	CS 561	star shaped hole	25	10978
115 x 22	⊗ 30	36	80 m/s	13300 rpm	CS 561	star shaped hole	25	10980
115 x 22	⊗ 30	60	80 m/s	13300 rpm	CS 561	star shaped hole	25	10983
115 x 22	⊗ 30	80	80 m/s	13300 rpm	CS 561	star shaped hole	25	10984
115 x 22	⊗ 30	120	80 m/s	13300 rpm	CS 561	star shaped hole	25	10986
125 x 22	⊗ 30	16	80 m/s	12200 rpm	CS 561	star shaped hole	25	11009
125 x 22	⊗ 30	24	80 m/s	12200 rpm	CS 561	star shaped hole	25	11010
125 x 22	⊗ 30	36	80 m/s	12200 rpm	CS 561	star shaped hole	25	11012
125 x 22	⊗ 30	50	80 m/s	12200 rpm	CS 561	star shaped hole	25	11014
125 x 22	⊗ 30	60	80 m/s	12200 rpm	CS 561	star shaped hole	25	11015
125 x 22	⊗ 30	80	80 m/s	12200 rpm	CS 561	star shaped hole	25	11016
125 x 22	⊗ 30	120	80 m/s	12200 rpm	CS 561	star shaped hole	25	11018
180 x 22	⊗ 30	16	80 m/s	8500 rpm	CS 561	star shaped hole	25	11057
180 x 22	⊗ 30	24	80 m/s	8500 rpm	CS 561	star shaped hole	25	11058
180 x 22	⊗ 30	36	80 m/s	8500 rpm	CS 561	star shaped hole	25	11060
180 x 22	⊗ 30	60	80 m/s	8500 rpm	CS 561	star shaped hole	25	11063
180 x 22	⊗ 30	80	80 m/s	8500 rpm	CS 561	star shaped hole	25	11064
180 x 22	⊗ 30	100	80 m/s	8500 rpm	CS 561	star shaped hole	25	11065
180 x 22	⊗ 30	120	80 m/s	8500 rpm	CS 561	star shaped hole	25	11066
180 x 22	⊙ 10	24	80 m/s	8500 rpm	CS 561	round hole	25	66451
180 x 22	⊙ 10	36	80 m/s	8500 rpm	CS 561	round hole	25	66459

### Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de

