

Revision Date: 05-Oct-2020

BOSTIK Z BOND 7E TRANSPARENT

Revision Number 2 Supersedes Date: 24-Nov-2019

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name BOSTIK Z BOND 7E TRANSPARENT

Product Code(s) 30608538 30608538

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

Serious eye damage/eye irritation	Category 2A - (H319)
Skin sensitization	Category 1B - (H317)

Label elements

Exclamation mark



Australia - EN Page 1/9

BOSTIK Z BOND 7E TRANSPARENT

Revision Number 2 Supersedes Date: 24-Nov-2019

Revision Date: 05-Oct-2020

Signal word

Warning

Hazard statements

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Harmful to aquatic life

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No	Weight-%
Petroleum Hydrocarbon Proprietary		< 30%
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	22984-54-9	< 3%
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	< 1%
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime	2224-33-1	< 1%
Octamethylcyclotetrasiloxane	556-67-2	< 1%
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Australia - EN Page 2/9

BOSTIK Z BOND 7E TRANSPARENT

Revision Number 2 Supersedes Date: 24-Nov-2019

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by

mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Revision Date: 05-Oct-2020

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

Section 5: Firefighting measures

Suitable extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from

and upwind of spill/leak. Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required. Extremely slippery when spilled.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Australia - EN Page 3/9

BOSTIK Z BOND 7E TRANSPARENT

Revision Number 2 Supersedes Date: 24-Nov-2019

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory

equipment. Take off contaminated clothing and wash before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin,

Revision Date: 05-Oct-2020

eyes or clothing. Do not eat, drink or smoke when using this product.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep out of the reach of children. Keep containers tightly closed in a

dry, cool and well-ventilated place. Protect from sunlight.

Incompatible materials Strong oxidizing agents. Water.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis

and released upon curing.

Chemical name	Australia
Petroleum Hydrocarbon Proprietary	TWA
	5mg/m³

OEL as published by Safe Work Australia

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.

Hand protection Wear suitable gloves.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid Appearance Paste

Color Clear, colorless
Odor Characteristic

Odor threshold No information available

Australia - EN Page 4/9

Revision Date: 05-Oct-2020

BOSTIK Z BOND 7E TRANSPARENT

Revision Number 2 Supersedes Date: 24-Nov-2019

CC (closed cup)

Property Values Remarks • Method

pH No data available
Melting point / freezing point
Boiling point / boiling range No data available
No data available

Flash point 88 °C

Evaporation rate No data available Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableVapor densityNo data available

Relative density 1.0

Water solubility Insoluble in water Solubility(ies) No data available No data available Partition coefficient No data available **Autoignition temperature Decomposition temperature** No data available Kinematic viscosity No data available No data available Dynamic viscosity No information available **Explosive properties Oxidizing properties** No information available

Other information

Solid content (%)

VOC Content (%)

Density

No information available

No information available

No information available

Section 10: Stability and reactivity

Reactivity

Reactivity Stable under recommended storage conditions.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Extremes of temperature and direct sunlight. Protect from moisture. Product cures with

moisture.

Incompatible materials

Incompatible materials Strong oxidizing agents. Water.

Hazardous decomposition products

Hazardous decomposition Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Small

Australia - EN Page 5/9

BOSTIK Z BOND 7E TRANSPARENT

Revision Number 2 Supersedes Date: 24-Nov-2019

products amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

2-Butanone, oxime. Formaldehyde. Nitrogen oxides (NOx).

Section 11: Toxicological information

Acute Toxicity

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract.

Eye contact Causes serious eye irritation. May cause redness, itching, and pain.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture

is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause irritation. Prolonged contact

Revision Date: 05-Oct-2020

may cause redness and irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 82,374.60 mg/kg

Component Information

Chemical name	mical name Oral LD50 Dermal LD50		Inhalation LC50
Petroleum Hydrocarbon	LD50 >5000 mg/Kg (Rattus)	LD50 >3160 mg/Kg	-
Proprietary		(Oryctalagus cuniculus)	
2-Butanone,	LD50 = 2463 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	-
O,O',O"-(methylsilylidyne)trioxi	(OECD 401)	(OECD 402)	
me			
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air
Butan-2-one	LD50 > 2000 mg/kg (Rattus)	LD50 > 2009 mg/kg (Rattus)	-
O,O',O"-(vinylsilylidyne)trioxim	OECD 425	OECD 402	
е			
Octamethylcyclotetrasiloxane	LD50 > 4800 mg/kg (Rattus)	LD50 > 2400 mg/kg (Rattus)	=36 g/m³ (Rattus) 4 h
	OECD 401	OECD 402	

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritiation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No classification is proposed, based on conclusive negative data.

Carcinogenicity As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not

expected to be available as an airborne hazard (dust, mist, or spray) under normal

condition of uses.

Reproductive toxicity No information available.

Australia - EN Page 6/9

Revision Date: 05-Oct-2020

BOSTIK Z BOND 7E TRANSPARENT

Revision Number 2 Supersedes Date: 24-Nov-2019

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butanone,	EC50 (72h) = 94 mg/L	EC50 (96h) >120 mg/L	-	EC50 (48h) > 120 mg/L
O,O',O''-(methylsilylidyn		(Oncorhynchus		(Daphnia magna) OECD
e)trioxime	subcapitata) OECD 201	mykiss)Freshwater static		202
22984-54-9		(OECD guideline 203)		
N-(3-(trimethoxysilyl)pro	-	LC50 (96H) =597 mg/L	-	EC50 (48h) =81mg/L
pyl)ethylenediamine		(Danio rerio)Semi-static		Daphnia magna Static
1760-24-3				
Butan-2-one	EC50 (72h) = 16 mg/L	LC50 (96h)> 120 mg/L	-	EC50 (48h) > 120 mg/L
O,O',O"-(vinylsilylidyne)t	(Pseudokirchneriella	(Oncorhynchus mykiss)		(Daphnia magna) OECD
rioxime	subcapitata) OECD 201	OECD 203		202
2224-33-1				
Octamethylcyclotetrasilo	-	LC50: >1000mg/L (96h,	-	EC50: =25.2mg/L (24h,
xane		Lepomis macrochirus)		Daphnia magna)
556-67-2		LC50: >500mg/L (96h,		
		Brachydanio rerio)		

Persistence and degradability

Persistence and degradability Product cures with moisture.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	1.69
22984-54-9	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
1760-24-3	
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime	1.69
2224-33-1	
Octamethylcyclotetrasiloxane	6.49
556-67-2	

Mobility

Mobility in soilNo information available.MobilityNo information available.

Other Adverse Effects

Other adverse effects No information available.

Australia - EN Page 7/9

BOSTIK Z BOND 7E TRANSPARENT

Revision Number 2 Supersedes Date: 24-Nov-2019

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Can be landfilled or incinerated, when in compliance with local

Revision Date: 05-Oct-2020

regulations.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

IMDG Not regulated

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

National pollutant inventory

No substance(s) listed on inventory

International Inventories

AICS Listed
NZIOC Listed
ENCS Listed
IECSC Listed
KECL Listed
PICCS Listed

Legend:

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

Australia - EN Page 8/9

BOSTIK Z BOND 7E TRANSPARENT

Revision Number 2 Supersedes Date: 24-Nov-2019

Revision Date: 05-Oct-2020

The Rotterdam Convention Not applicable

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision Date: 05-Oct-2020

Revision note

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 9/9