

# **TimbaTech 01 Express Assembly Grade PVA**

# 1. IDENTIFICATION OF THE SUBSTANCE

Product Name: TimbaTech 01 Express Assembly Grade PVA

**Product Description:** Water Based Woodworking Adhesive

Recommended Use: Woodworking Adhesive

Supplier:TimbaTech Pty LtdABN:31 131 522 828Address:11 Taunton Drive

Cheltenham Victoria 3192

 Office:
 03 9585 3116

 Fax:
 03 9585 3114

 Mobile:
 0412 738 568

Emergency telephone (24 Hours): Contact Poisons Information Centre - 13 11 26

#### 2. HAZARDS INDENTIFICATION

# NON HAZARDOUS SUBSTANCE. NON DANGEROUS GOODS.

This material is NOT classified Hazardous according to health criteria of NOHSC Australia.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail.

Poisons Schedule (Aust): Not applicable

#### 3. COMPOSITION/INFORMATION ON INGREDIEDNTS

COMPOSITION	CAS NO.	%
Vinyl Acetate (monomer)	108-05-4	<0.5%
Non-hazardous Ingredients	-	to 100%

## 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (Phone e.g. Australia 131 126; New Zealand 0 800 764766) or a doctor.

**Inhalation:** Remove patient to fresh air. Allow patient to rest in a comfortable position until

recovered. Seek medical advice if symptoms persist.



Skin: Wash area(s) with soap and water. Remove contaminated clothing. Seek medical

attention if skin irritation occurs.

Eye contact: Hold eyelids open and immediately flush eyes continuously with running water for 15

minutes. It is advisable to seek medical advice for all eye contaminations.

**Ingestion:** Rinse mouth with water. If swallowed do NOT induce vomiting. Give water to drink.

**Notes to physician**: Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water spray or fog, Carbon dioxide (CO2), Dry Chemical and Foam.

**Hazards from Combustion:** Possible formation of oxides of carbon, smoke and other

unidentified products.

**Precautions for Fire-fighters:** No combustible. However following evaporation of aqueous

component residual material can burn if ignited. On burning may

emit toxic fumes.

**Fire-fighting equipment:** If exposed to fumes or products of combustion it's advisable to wear

self-contained breathing apparatus.

Hazchem Code: Not Applicable.

# **6. ACCIDENTAL RELEASE MEASURES**

#### **SMALL SPILLS**

Wear protective equipment to prevent skin and eye contamination. Wipe up with absorbent (clean rags or paper towels). Collect and seal in properly labeled containers or drums for disposal.

## **LARGE SPILLS**

Wear protective equipment to prevent skin and eye contamination. Slippery when wet. Dam and contain spill with absorbent inert material (sawdust, vermiculite, dry sand or earth). Place into suitable sealed containers and follow state or local authority regulations for disposal of the waste.

# 7. HANDLING AND STORAGE

**Handling:** Avoid contact eyes and repeated or prolonged skin contact.

Storage advice: Store in a cool, well-ventilated place and, out of direct sunlight. Store away from

incompatible materials described in Section 10. Keep containers closed when not in use

- check regularly for leaks.

This material is NOT classified as a dangerous goods not a scheduled poison.



# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Occupational Exposure Limits:**

No value is assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC Australia).

However, for the residual monomer component:

TWA STEL

**Biological Limit Values:** As per the "National Model Regulations for the Control of Workplace

Hazardous Substances [NOHSC: 1005 (1994)]" the ingredients in this

material do not have a Biological Limit Allocated.

**Engineering measures:** Use in well ventilated areas. Local exhaust should be adequate.

**Personal protection equipment:** Standard safety apparel of overalls, safety shoes or boots, safety

glasses. If there is a risk of repeated skin exposure, wear impervious gloves (PVC coated should be adequate). Wear goggles and organic vapour respirator if at risk of exposure to vapours, fumes or spray

mist

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance / Colour / Odour: Opaque white creamy fluid with mild specific odour.

**pH**: 3.0-5.0

Not Available Vapour Pressure (15°C): Vapour Density (air=1) Not Applicable **Boiling Point (°C):** approx 100°C Freezing Point (°C): approx 0°C Solubility in water: Miscible **Specific Gravity:** 1.06 approx Flash Point (°C): Not Applicable **Flammability Limits:** Not Applicable Autoignition Temperature (°C): Not Applicable **Viscosity:** 4,500 - 5,000 cPs

Percent Volatile: 47-54

# **10. STABLITY AND REACTIVITY**

**Chemical stability:** Stable when stored and used as directed.

**Conditions to avoid:** None specific, but advisable to avoid elevated temperatures.



**Incompatible Materials:** Advisable to avoid Oxidising agents.

Hazardous decomposition products: If heated excessively, possible formation of oxides of carbon and

other unidentified (possible toxic) products.

Hazardous Reactions: None known

#### 11. TOXICOLOGUCAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet. Symptoms or effects that may arise if the product is mishandled and overexposure occurs.

However, this product contains small amount of vinyl acetate monomer. ACGIH evaluated vinyl acetate as an A3 - Animal Carcinogen: the available evidence suggests it is not likely to cause cancer in humans except under unusual exposure. The IARC monograph indicates "there is little evidence in humans for carcinogenicity of vinyl acetate. There is limited evidence in experimental animals for carcinogenicity of vinyl acetate." This would normally place a substance in IARC category 3. However, because vinyl acetate is metabolised to acetaldehyde, an IARC 2B classification has been assigned.

#### **Acute Effects**

**Ingestion:** Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

**Inhalation**: May be an irritant to mucous membranes and respiratory tract.

**Eye contact**: May cause eye irritation.

**Skin contact:** May be a skin irritant..

**Chronic Effects:** 

No information available for the product.

<u>Toxicological Data</u>:

No LD50 data available for the product.

#### 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

**Mobility/Persistence/Biodegradability**: No information available for this product.

# 13. DISPOSAL CONSIDERATIONS

Refer to Management Authority or dispose of material through a licensed waste contractor.



#### 14. TRANSPORT INFORMATION

NOT classified as a Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG) for transport by Road and Rail, IMDG Code for transport by sea and by IATA Dangerous Code for air transport.

# **15. REGULATORY INFORMATION**

Poisons Schedule: Not Applicable

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

#### **16. OTHER INFORMATION**

 Contact Point:
 TimbaTech Pty Ltd

 Office:
 03 9585 3116

 Fax:
 03 9585 3114

 Mobile:
 0412 738 568

After Hours: Poisons Information Centre - 13 11 26

The information and recommendations set down here in this document are presented in good faith and to the best of TimbaTech's knowledge. TimbaTechch Pty Ltd cannot predict or control all conditions of use or handling of this product and each user must review this document in the context of the conditions under which they intend to handle can use this product. It is the responsibility of the user to ensure a proper assessment has been carried out. No representations or warranties, either expressed or implied, or merchantability, fitness for purpose or any other nature are made hereunder with respect to the product to which this information refers.