





THE WORKSHOP SERIES

Reliable, innovative industrial air
compressors built to perform



MADE IN ITALY




DRY CLEAN AIR

Built-in compressed air refrigerant dryer removes aggressive water condensate, protecting machinery and tools, whilst leaving the air clean and dry.



QUALITY AIR STORAGE

Large 270L air receiver tank, sized to match compressor output comes complete with safety valve and receiver registration to Australian Standards.



QUIET SCREW TECHNOLOGY

Silent in operation, unlike noisy piston compressors; providing the flexibility of a secure, internal installation location.



ENERGY SAVING ELECTRONIC CONTROL

User friendly control system that provides intelligence on faults and activity; enabling the most energy-efficient operation at all times.



COMPACT "ALL IN ONE" DESIGN

Compressor, receiver and dryer - all in one complete compressed air system package, boasting a small footprint for easy installation.



HIGH FLOW AND HIGH PRESSURE

Supplying high performance flow and pressure for modern machinery, Venti has the power and capability for the modern workshop.



"YOUR IDEAL WORKSHOP PARTNER"

The Venti compressor is a European designed and manufactured compressor, supported locally by a 3 year warranty.

This combination of support and quality offers a complete peace of mind when selecting a Venti compressor, the unique all in one design offers simple installation, coupled with energy saving features and low noise levels.

Fields of Applications


- Spray Painting
- Plasma Cutting
- Sandblasting
- Carpentry
- Vehicle Workshops
- Engineering Workshops

KME B SERIES

The KME B Workshop Series ensures the highest reliability in any work condition; minimizing power losses, whilst guaranteeing a low noise level and clean dry compressed air.

Benefits

- Low installation and management costs
- Total function control through a user-friendly electronic controller
- Local support
- Simplified installation
- Compact design
- Clean, dry air
- 3 Year Warranty
- Ready to run



Compact



Lightweight



Easy Fit



Low Noise

KME B 7 270E

CODE	MOTOR POWER		TANK	MAX. PRESSURE		AIR FLOW RATE		NOISE LEVEL	VOLTAGE	CONNECTION	DIMENSIONS	WEIGHT
	Hp	KW	Lt	Bar	Psi	/min	CFM	dB[A]			LxDxH(cm)	Kg
190051004	10	7.5	270	8	116	1170	39.8	67	415/50/3 20 amp	1/2 BSP	156x62x123	316
190052004				10	145	980	34.6					
190053004				13	188	785	26.7					

KME B 15 270E

CODE	MOTOR POWER		TANK	MAX. PRESSURE		AIR FLOW RATE		NOISE LEVEL	VOLTAGE	CONNECTION	DIMENSIONS	WEIGHT
	Hp	KW	Lt	Bar	Psi	/min	CFM	dB[A]			LxDxH(cm)	Kg
190071004	20	15	270	8	116	2090	73.8	68	415/50/3 32 amp	3/4 BSP	156x73x140	349
190072004				10	145	1990	67.8					
190073004				13	188	1600	56.5					

