

BOSTIK GAP SEAL WHITE
Revision Number 1

Revision Date 19-Mar-2019
Supersedes Date: 19-Mar-2019

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name BOSTIK GAP SEAL WHITE

Product Code(s)

30605381
30605381

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Adhesives

Uses advised against No information available

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria
Australia
Tel: 613 9279-9333
Fax: 613 9279-9342

Manufacturer

Bostik Findley (Malaysia) Sdn. Bhd
Lot 112 & 113,
Kawasan Perindustrian senawang,
seremban, negeri sembilan, Malaysia
Tel: 606-6789788
Fax: 606-6789766

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

Reproductive toxicity

Category 1B - (H360)

Label elements

Health hazard



Safety Data Sheet

BOSTIK GAP SEAL WHITE
Revision Number 1

Revision Date 19-Mar-2019
Supersedes Date: 19-Mar-2019

Signal word
Danger

Hazard statements
H360 - May damage fertility or the unborn child

Precautionary Statements - Prevention
Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required

Precautionary Statements - Response
IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage
Store locked up

Precautionary Statements - Disposal
Dispose of contents/container to an approved waste disposal plant

Other hazards
Harmful to aquatic life

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)
No poisons schedule number allocated

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
Dibutyl phthalate	84-74-2	0 - 10%
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26
Poisons Information Center, New Zealand: 0800 764 766

FIRST AID

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

BOSTIK GAP SEAL WHITE
Revision Number 1

Revision Date 19-Mar-2019
Supersedes Date: 19-Mar-2019

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

Suitable extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical No information available.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO₂). Hydrocarbons.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up.

Incompatible materials None known based on information supplied.

Section 8: Exposure controls and personal protection

Safety Data Sheet

BOSTIK GAP SEAL WHITE
Revision Number 1

Revision Date 19-Mar-2019
Supersedes Date: 19-Mar-2019

Control parameters

Exposure Limits

Chemical name	Australia
Dibutyl phthalate 84-74-2	5 mg/m ³ TWA

OEL as published by Safe Work Australia

Appropriate engineering controls

Engineering controls Showers
 Eyewash stations
 Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection Wear suitable protective clothing.

Hand protection Wear suitable gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical State Liquid
Appearance Paste
Color White
Odor Slight
Odor Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	7	
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash Point	No data available	
Evaporation Rate	No data available	
Flammability (solid, gas)	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor Pressure	No data available	
Vapor Density	No data available	
Relative Density	No data available	
Water Solubility	No data available	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Kinematic Viscosity	No data available	
Dynamic Viscosity	600,000 - 700,000	
Explosive properties	No information available	
Oxidizing properties	No information available	

Safety Data Sheet

BOSTIK GAP SEAL WHITE
Revision Number 1

Revision Date 19-Mar-2019
Supersedes Date: 19-Mar-2019

Other information

Solid content (%) 80
VOC (volatile organic compound) No information available
Density 1.65 g/cm³

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products Carbon monoxide. Carbon dioxide (CO₂). Hydrocarbons.

Section 11: TOXICOLOGICAL INFORMATION

Acute Toxicity

Information on likely routes of exposure

Product Information

Inhalation May cause irritation.

Eye contact Contact with eyes may cause irritation.

Skin contact May cause irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document
ATEmix (inhalation-dust/mist) 1,568.00 mg/l

Component Information

Safety Data Sheet

BOSTIK GAP SEAL WHITE
Revision Number 1

Revision Date 19-Mar-2019
Supersedes Date: 19-Mar-2019

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dibutyl phthalate	= 7499 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	>= 15.68 mg/L (Rat) 4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available. Contains a known or suspected reproductive toxin. The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Dibutyl phthalate 84-74-2	EC50: =1.2mg/L (72h, Desmodesmus subspicatus) EC50: =0.4mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 1.24 - 5.3mg/L (96h, Oncorhynchus mykiss) LC50: >1.24mg/L (96h, Oncorhynchus mykiss) LC50: 0.71 - 1.2mg/L (96h, Pimephales promelas) LC50: 0.31 - 5.45mg/L (96h, Pimephales promelas) LC50: 0.42 - 1.28mg/L (96h, Lepomis macrochirus) LC50: 1.38 - 1.74mg/L (96h, Lepomis macrochirus)	EC50 = 10.9 mg/L 30 min EC50 = 10.9 mg/L 5 min EC50 = 11.1 mg/L 15 min EC50 = 2.2 mg/L 24 h	EC50: =3.4mg/L (48h, Daphnia magna) EC50: =2.99mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulative potential There is no data for this product.

Component Information

Safety Data Sheet

BOSTIK GAP SEAL WHITE
Revision Number 1

Revision Date 19-Mar-2019
Supersedes Date: 19-Mar-2019

Chemical name	Partition coefficient
Dibutyl phthalate 84-74-2	5.38

Mobility

Mobility in soil No information available.

Mobility No information available.

Other Adverse Effects

Other Adverse Effects No information available.

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Dibutyl phthalate 84-74-2	Group I Chemical Group III Chemical	High Exposure Concern	Industrial chemical

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Dibutyl phthalate 84-74-2	10 tonne/yr Threshold category 1

Safety Data Sheet

BOSTIK GAP SEAL WHITE
Revision Number 1

Revision Date 19-Mar-2019
Supersedes Date: 19-Mar-2019

International Inventories

AICS	Listed
NZIoC	Not Listed
ENCS	Not Listed
IECSC	Listed
KECL	Not Listed
PICCS	Listed

Legend:

AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision Date 19-Mar-2019

Revision note

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet